



# Presteza MSP 0W-20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830  
Date of issue: 3-1-2019 Revision date: 3-1-2019 Version: 1.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form : Mixture  
Trade name : Presteza MSP 0W-20  
Product code : 01.41.00  
Product group : Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### 1.2.1. Relevant identified uses

Main use category : Industrial use, Professional use, Consumer use  
Use of the substance/mixture : Engine oil

##### 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Kroon Oil BV  
Dollegoorweg 15  
7602 EC Almelo - Netherlands  
T 0031 (0)546 81 81 65  
[vib@kroon\\_oil.nl](mailto:vib@kroon_oil.nl)

#### 1.4. Emergency telephone number

| Country        | Organisation/Company  | Address                     | Emergency number | Comment |
|----------------|---|-----------------------------|------------------|---------|
| United Kingdom | National Poisons Information Service (Cardiff Centre)<br>Gwenwyn Ward, Llandough Hospital | Penarth<br>CF64 2XX Cardiff | 0344 892 0111    |         |

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

##### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice.

#### 2.2. Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

EUH-statements : EUH210 - Safety data sheet available on request.  
EUH208 - Contains Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs, calcium salts (2:1), Calcium di(alkyl(C20-C24, even numbered) branched)-methyl benzenesulfonate. May produce an allergic reaction.

#### 2.3. Other hazards

No additional information available

### SECTION 3: Composition/information on ingredients

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Comments : Highly refined mineral oils and additives.

| Name  | Product identifier   | %       | Classification according to Regulation (EC) No. 1272/2008 [CLP] |
|---|--|---------|---|
| Distillates (petroleum), hydrotreated heavy paraffinic  | (CAS-No.) 64742-54-7<br>(EC-No.) 265-157-1<br>(EC Index-No.) 649-467-00-8<br>(REACH-no) 01-2119484627-25 | 50 - 80 | Asp. Tox. 1, H304   |
| Amines, polyethylenepoly-, reaction products with 1,3-dioxolan-2-one and succinic anhydride monopolyisobutenyl derivs | (CAS-No.) 147880-09-9<br>(EC-No.) 604-611-9  | 1 - 5   | Aquatic Chronic 4, H413   |
| Amines, polyethylenepoly-, reaction products with succinic anhydride polyisobutenyl derivs., borated                  | (CAS-No.) 134758-95-5<br>(EC-No.) 603-861-6  | 1 - 2,5 | Aquatic Chronic 4, H413   |

# Presteza MSP 0W-20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                       |   |           |                         |
|-----------------------|---|-----------|-------------------------|
| bis(nonylphenyl)amine | (CAS-No.) 36878-20-3<br>(EC-No.) 253-249-4<br>(REACH-no) 01-2119488911-28 | 0,1 - 2,5 | Aquatic Chronic 4, H413 |
| Mineral oil *         |   | 0,1 - 2,5 | Asp. Tox. 1, H304       |

### Comments

: \* contains one or more of the following CAS-numbers (REACH registration numbers): 64741-88-4 (01-2119488706-23), 64741-89-5 (01-2119487067-30), 64741-95-3 (01-2119487081-40), 64741-96-4 (01-2119483621-38), 64741-97-5 (01-2119480374-36), 64742-01-4 (01-2119488707-21), 64742-52-5 (01-2119467170-45), 64742-53-6 (01-2119480375-34), 64742-54-7 (01-2119484627-25), 64742-55-8 (01-2119487077-29), 64742-56-9 (01-2119480132-48), 64742-57-0 (01-2119489287-22), 64742-62-7 (01-2119480472-38), 64742-65-0 (01-2119471299-27), 64742-71-8 (01-2119485040-48), 72623-85-9 (01-2119555262-43), 72623-86-0 (01-2119474878-16), 72623-87-1 (01-2119474889-13), 74869-22-0 (01-2119495601-36)

The highly refined mineral oil contains <3% (w/w) DMSOextract, according to IP346.

Full text of H-statements: see section 16

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

- First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).
- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
- First-aid measures after skin contact : Wash skin with plenty of water.
- First-aid measures after eye contact : Rinse eyes with water as a precaution.
- First-aid measures after ingestion : Do not induce vomiting. Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

- Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.
- Symptoms/effects after ingestion : May result in aspiration into the lungs, causing chemical pneumonia.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## SECTION 5: Firefighting measures

### 5.1. Extinguishing media

- Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.
- Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

- Fire hazard : Combustible liquid.
- Hazardous decomposition products in case of fire : Incomplete combustion releases dangerous carbon monoxide, carbon dioxide and other toxic gases.

### 5.3. Advice for firefighters

- Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

- Emergency procedures : Ventilate spillage area.

#### 6.1.2. For emergency responders

- Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

- Methods for cleaning up : Take up liquid spill into absorbent material.
- Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.
- Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

# Presteza MSP 0W-20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.  
Storage temperature : < 40 °C

### 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Presteza MSP 0W-20

|    |  |
|----|--|
| EU | Exposure limits/standards for materials that can be formed when handling this product. When mists/aerosols can occur the following is recommended: 5 mg/m <sup>3</sup> - ACGIH TLV (inhalable fraction). |
|----|--|

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### Hand protection:

Protective gloves

| Type            | Material  | Permeation                           | Thickness (mm) | Penetration | Standard   |
|-----------------|---|--------------------------------------|----------------|-------------|------------|
| Reusable gloves | Nitrile rubber (NBR),<br>Neoprene rubber (HNBR) | 5 (> 240 minutes), 6 (> 480 minutes) | >=0,35         |             | EN ISO 374 |

#### Eye protection:

Safety glasses

| Type           | Use     | Characteristics | Standard |
|----------------|---------|-----------------|----------|
| Safety glasses | Droplet | clear           | EN 166   |

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### Personal protective equipment symbol(s):



#### Environmental exposure controls:

Avoid release to the environment.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid  
Colour : Brown.  
Odour : characteristic.  
Odour threshold : No data available  
pH : No data available  
Relative evaporation rate (butylacetate=1) : No data available  
Melting point : Not applicable  
Freezing point : -51 °C - ASTM D5950 (pour point)  
Boiling point : No data available  
Flash point : 222 °C - ASTM D92 (COC)  
Auto-ignition temperature : No data available  
Decomposition temperature : No data available  
Flammability (solid, gas) : Not applicable  
Vapour pressure : No data available  
Relative vapour density at 20 °C : No data available

# Presteza MSP 0W-20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|                      |  |
|----------------------|--|
| Relative density     | : No data available                            |
| Density              | : 0,845 kg/l (15 °C) - ASTM D4052              |
| Solubility           | : Water: Insoluble / Slightly miscible         |
| Log Pow              | : No data available                            |
| Viscosity, kinematic | : 41,6 mm <sup>2</sup> /s (40 °C) - ASTM D7279 |
| Viscosity, dynamic   | : No data available                            |
| Explosive properties | : No data available                            |
| Oxidising properties | : No data available                            |
| Explosive limits     | : No data available                            |

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Reacts violently with (strong) oxidizers.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

|                             |                  |
|-----------------------------|------------------|
| Acute toxicity (oral)       | : Not classified |
| Acute toxicity (dermal)     | : Not classified |
| Acute toxicity (inhalation) | : Not classified |

#### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                            |  |
|----------------------------|--|
| LD50 oral rat              | > 5000 mg/kg (OECD 420 method)                       |
| LD50 dermal rabbit         | > 2000 mg/kg (OECD 402 method)                       |
| LC50 inhalation rat (mg/l) | > 5,53 mg/l/4h (mg/L air, aerosol) (OECD 403 method) |

#### bis(nonylphenyl)amine (36878-20-3)

|                 |   |
|-----------------|---|
| LD50 oral rat   | > 5000 mg/kg bodyweight (OECD 401 method) |
| LD50 dermal rat | > 2000 mg/kg bodyweight (OECD 402 method) |

|                                   |                  |
|-----------------------------------|------------------|
| Skin corrosion/irritation         | : Not classified |
| Serious eye damage/irritation     | : Not classified |
| Respiratory or skin sensitisation | : Not classified |
| Germ cell mutagenicity            | : Not classified |
| Carcinogenicity                   | : Not classified |
| Reproductive toxicity             | : Not classified |
| STOT-single exposure              | : Not classified |
| STOT-repeated exposure            | : Not classified |
| Aspiration hazard                 | : Not classified |

#### Presteza MSP 0W-20

|                      |  |
|----------------------|--|
| Viscosity, kinematic | 41,6 mm <sup>2</sup> /s (40 °C) - ASTM D7279 |
|----------------------|--|

## SECTION 12: Ecological information

### 12.1. Toxicity

|                        |   |
|------------------------|---|
| Ecology - general      | : The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. |
| Acute aquatic toxicity | : Not classified  |

# Presteza MSP 0W-20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Chronic aquatic toxicity : Not classified

### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                        |   |
|------------------------|---|
| LC50 fish 1            | > 100 mg/l (Pimephales promelas, 96h) (OECD 203 method)             |
| EC50 Daphnia 1         | > 10000 mg/l (Gammarus pulex, 48h) (OECD 202 method)                |
| EC50 Daphnia 2         | > 10000 mg/l (Daphnia magna, 48h) (OECD 202 method)                 |
| NOEC (acute)           | >= 100 mg/l (Pseudokirchnerella subcapitata, 72h) (OECD 201 method) |
| NOEC chronic fish      | >= 1000 mg/l (Oncorhynchus mykiss - QSAR Petrotox, 14/28d)          |
| NOEC chronic crustacea | 10 mg/l (Daphnia magna, 21d) (OECD 211 method)                      |

### bis(nonylphenyl)amine (36878-20-3)

|                    |   |
|--------------------|---|
| LC50 fish 1        | > 100 mg/l Brachydanio rerio (zebra-fish) |
| EC50 Daphnia 1     | > 100 mg/l (OECD 202 method)              |
| EC50 72h algae (1) | 600 mg/l                                  |
| EC50 96h algae (1) | 870 mg/l                                  |

### Mineral oil \*

|                    |              |
|--------------------|--------------|
| LC50 fish 1        | > 100 mg/l   |
| EC50 Daphnia 1     | > 10000 mg/l |
| EC50 72h algae (1) | > 100 mg/l   |

## 12.2. Persistence and degradability

### Distillates (petroleum), hydrotreated heavy paraffinic (64742-54-7)

|                |                               |
|----------------|-------------------------------|
| Biodegradation | 31 % (28d) (OECD 301F method) |
|----------------|-------------------------------|

### bis(nonylphenyl)amine (36878-20-3)

|                |                                    |
|----------------|------------------------------------|
| Biodegradation | 1 % (test concentration 20,1 mg/l) |
|----------------|------------------------------------|

## 12.3. Bioaccumulative potential

No additional information available

## 12.4. Mobility in soil

No additional information available

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Other adverse effects

No additional information available

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.  
European List of Waste (LoW) code : 13 02 05\* - mineral-based non-chlorinated engine, gear and lubricating oils

## SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

| ADR                                     | IMDG          | IATA          | ADN           | RID           |
|---|---------------|---------------|---------------|---------------|
| <b>14.1. UN number</b>                  |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.2. UN proper shipping name</b>    |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.3. Transport hazard class(es)</b> |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |
| <b>14.4. Packing group</b>              |               |               |               |               |
| Not regulated                           | Not regulated | Not regulated | Not regulated | Not regulated |

# Presteza MSP 0W-20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

| 14.5. Environmental hazards |               |               |               |               |
|-----------------------------|---------------|---------------|---------------|---------------|
| Not regulated               | Not regulated | Not regulated | Not regulated | Not regulated |

No supplementary information available

### 14.6. Special precautions for user

#### Overland transport

Not regulated

#### Transport by sea

Not regulated

#### Air transport

Not regulated

#### Inland waterway transport

Not regulated

#### Rail transport

Not regulated

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to REGULATION (EU) No 649/2012 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 4 July 2012 concerning the export and import of hazardous chemicals.

Substance(s) are not subject to Regulation (EC) No 850/2004 of the European Parliament and of the Council of 29 April 2004 on persistent organic pollutants and amending Directive 79/117/EEC.

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

## SECTION 16: Other information

| Abbreviations and acronyms: |   |
|-----------------------------|---|
| ADN                         | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR                         | European Agreement concerning the International Carriage of Dangerous Goods by Road             |
| ATE                         | Acute Toxicity Estimate   |
| BCF                         | Bioconcentration factor   |
| CLP                         | Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008                     |
| DMEL                        | Derived Minimal Effect level  |
| DNEL                        | Derived-No Effect Level   |
| EC50                        | Median effective concentration  |
| IARC                        | International Agency for Research on Cancer   |
| IATA                        | International Air Transport Association   |
| IMDG                        | International Maritime Dangerous Goods  |
| LC50                        | Median lethal concentration   |
| LD50                        | Median lethal dose  |
| LOAEL                       | Lowest Observed Adverse Effect Level  |
| NOAEC                       | No-Observed Adverse Effect Concentration  |
| NOAEL                       | No-Observed Adverse Effect Level  |

# Presteza MSP 0W-20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

|       |   |
|-------|---|
| NOEC  | No-Observed Effect Concentration  |
| OECD  | Organisation for Economic Co-operation and Development  |
| PBT   | Persistent Bioaccumulative Toxic  |
| PNEC  | Predicted No-Effect Concentration   |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006 |
| RID   | Regulations concerning the International Carriage of Dangerous Goods by Rail                      |
| vPvB  | Very Persistent and Very Bioaccumulative  |

### Full text of H- and EUH-statements:

|                   |   |
|-------------------|---|
| Aquatic Chronic 4 | Hazardous to the aquatic environment — Chronic Hazard, Category 4   |
| Asp. Tox. 1       | Aspiration hazard, Category 1   |
| H304              | May be fatal if swallowed and enters airways.   |
| H413              | May cause long lasting harmful effects to aquatic life.   |
| EUH208            | Contains Benzoic acid, 2-hydroxy-, mono-C14-18-alkyl derivs, calcium salts (2:1), Calcium di(alkyl(C20-C24, even numbered) branched)-methyl benzenesulfonate. May produce an allergic reaction. |
| EUH210            | Safety data sheet available on request.   |

SDS EU (REACH Annex II)

*This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.*