



PURE BASE 600

OUTSTANDING PRICE-PERFORMANCE RATIO

WINDOW

IDEAL APPLICATIONS

Air-cooled and water-cooled systems
Gaming and multimedia PCs
Quiet home theater PCs

HIGHLIGHTS

Highly versatile construction
Water cooling optimized with adjustable top cover vent
Two pre-installed Pure Wings 2 fans
Completely sound-insulated on top, side and front

Exceptionally Silent and Functional


Pure Base 600 Window is truly multi-talented, offering a great deal of functionality and features for an attractive price.

Highlights »

- Highly versatile construction with repositionable HDD slots and a removable ODD cage
- Optimized for liquid cooling with three specially designed areas of up to 360mm to add water cooling radiators
- Adjustable top cover vent that can be closed for absolute silence, partially open for more air exhaust or fully open, with the added possibility to mount a radiator
- High-quality, fully windowed side panel made of tinted and tempered glass
- Whisper-quiet operation thanks to two pre-installed Pure Wings 2 fans featuring nine airflow-optimized fan blades that reduce turbulence while increasing the air pressure
- Completely sound insulated with integrated dampening material on top, side and front
- Professional cable management is adaptable with extensive cable routing options
- 3-year manufacturer's warranty
- Product conception, design and quality control in Germany

PURE BASE 600

OUTSTANDING PRICE-PERFORMANCE RATIO



PURE BASE 600

OUTSTANDING PRICE-PERFORMANCE RATIO

General Data Case »	
Motherboard compatibility	ATX, M-ATX, Mini-ITX
Form factor PSU	PS2 ATX
Case size (L x W x H in mm)	492 x 220 x 470
Material	0.8 - 1mm steel, ABS plastic, 4mm tempered glass window
Weight incl. package / without package (kg)	8.74 / 7.44
I/O Panel	2x USB 3.2 Gen. 1, HD Audio (mic + headphone jacks)
Expansion slots (pcs.)	7
Drive Bay Capacity »	
5.25	2
3.5	3 (removable)
2.5	2 on motherboard tray 6 inside the HDD slots (removable)
Cooling System »	
Pre-installed Pure Wings 2 fans (mm / rpm)	Front: 1x 140 / 900 Rear: 1x 120 / 1,200
Optional fans (mm)	Top: 2x 140 / 3x 120 Front: 140 / up to 3x 120 (w/o pre-installed 140mm fan)*
Optional liquid cooling system (radiotor in mm)	Top: 120 / 240 / 360* Front: 120 / 140 / 240 / 280* / 360 (w/o 5.25 cage) Rear: 120
Cooling solutions	Air channels (front) Adjustable and removable top cover Manual 3-step fan controller (3x 3-pin)
Maximum Dimensions (mm) »	
CPU cooler	up to 165
PSU	210
Graphics card (standard)	280
Graphics card (w/o HDD slots)	425
Insulation and Damping »	
Sound insulation mats (top, front, side)	✓
Anti-vibration decoupled HDD / PSU	✓

*without 5.25 bay

Color Options »		
Pure Base 600	Art. no	EAN code
Window Black	BGW21	4260052185445
Window Orange	BGW20	4260052185438

Certifications »		

Contact »
<p>be quiet! headquarters Listan GmbH Wilhelm-Bergner-Straße 11c 21509 Glinde Germany</p> <p>Service hotline: +49 40 7367 686 44</p> <p>E-Mail: service@bequiet.com Visit the contact section on bequiet.com for the right regional service information.</p>