

---

<b>Product name</b>	:	<b>MoTip Engine Cleaner</b>	
<b>Article number</b>	:	<b>090506</b>	
<b>Supplier / Producer</b>	:	<b>MOTIP DUPLI B.V.</b>	
		<b>Wolfraamweg 2</b>	
		<b>NL-8471 XC WOLVEGA</b>	
		<b>Telephone number</b>	<b>+31 561 – 69 44 00</b>
		<b>Telefax number</b>	<b>+31 561 – 69 44 31</b>

---

### Product description

High quality engine cleaner with high dissolving properties.

### Applications

Motor Vehicles  
Agricultural Machinery  
Motorized Garden Tools  
Construction Machinery

### Product characteristics

High dissolving properties  
Leaves no residue  
Non-conductive  
Non-corrosive  
Misty spray pattern

### Physical and Chemical Characteristics

Contents	:	500 ml
Basis	:	Aliphatic Hydrocarbons
VOC-content	:	100% w/w
Colour	:	Transparent
Scent	:	Characteristic
Relative density at 20°C	:	0,78 g/ml
Yield	:	1,11 g/sec
Vapour pressure at 20°C	:	3 to 4 bar
Refractive Index at 20°C	:	1,434



### Usage

**Before use, carefully read the directions on the packaging and act accordingly.**

The aerosol should have room temperature.  
Best processing temperature 5 to 30°C.  
Before use, shake the aerosol.

Engine cleaner contains a flammable solvent, therefore allow engine to cool down.  
Before treatment, cover conductive parts and switch off electrical installations.

Equally spray the parts to be treated and allow several minutes to take effect. Treat persistent contamination with a brush. Rinse with water. The rinsing water should be regarded as chemical waste.

After cleaning, dry the conductive parts with air.