

# BMD51325



BMD51325 Switch Disconnecter 3P, 25A

## General Information

Extended Product Type	BMD51325
Product ID	2CDD643051R0025
EAN	4016779038461
Catalog Description	BMD51325 Switch Disconnecter 3P, 25A
Long Description	The basic M switch disconnecter is suitable for commanding loads according to IEC 60947-3.

## Ordering

EAN	4016779038461
Minimum Order Quantity	1 piece
Customs Tariff Number	85369095

## Dimensions

Product Net Width	52.5 mm
Product Net Height	69 mm
Product Net Depth / Length	88 mm
Product Net Weight	0.21 kg

## Container Information

Package Level 1 Units	4 piece
Package Level 1 Width	92 mm
Package Level 1 Height	80 mm
Package Level 1 Depth / Length	220 mm
Package Level 1 Gross Weight	0.901 kg
Package Level 1 EAN	4016779038478
Package Level 2 Units	32 piece
Package Level 2 Width	183 mm
Package Level 2 Height	164 mm
Package Level 2 Depth / Length	445 mm
Package Level 2 Gross Weight	7.208 kg
Package Level 2 EAN	4016779051989

## Environmental

Ambient Air Temperature	Operation -25 ... +55 °C Storage -40 ... +70 °C
-------------------------	--

## Additional Information

Actuator Type	Toggle
Connecting Capacity	Flexible 25 mm <sup>2</sup> Rigid 35 mm <sup>2</sup>
Degree of Protection	IP20
Number of Poles	3
Number of Protected Poles	3
Product Main Type	Basic M BMD
Product Name	Switch Disconnecter
Rated Current (I <sub>n</sub> )	25 A
Rated Frequency (f)	50 Hz 60 Hz
Rated Operational Voltage	415 V AC
Recommended Screw Driver	Pozidriv 2
Remarks	IP40 in enclosure with cover
RoHS Date	20170816
Standards	IEC 60947-3
Terminal Type	Screw Terminals
Tightening Torque	2 N·m
Wire Stripping Length	12.5 mm

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	9AKK107045A1496
Declaration of Conformity - CE	2CDK400668D2701
Instructions and Manuals	on the product body
RoHS Information	2CDK400669D0201

## Classifications

ETIM 5	EC001545 - Main switch for distribution board
ETIM 6	EC001545 - Main switch for distribution board
ETIM 7	EC001545 - Main switch for distribution board
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
eClass	7.0 27142301

## Categories

Low Voltage Products and Systems → Modular DIN Rail Products → Basic M System → Switch Disconnectors

BMD51325

3

